



\* Inspiring furniture

#### **Table of Contents**

About Us	4
Fechnology	. 6
Casework	
teel furniture	
aminated Furniture	
slands, Peninsulas and Wall Mounted Casework	. 14
Shelving	. 18
inks and Eyewash Units	. 22
Reagent Racks	. 24
Countertops	
Anti-vibration tables	
Gume hoods	<b>32</b>
Chemical Storage Cabinets	34
Additional Equipment	36
Certificates	38



DCD Lab is an American origin laboratory furniture manufacturer placed in small Polish town Steszew and for almost 30 years produces the highest quality laboratory furniture. Unlike many companies in the lab furniture industry, DCD Lab not only claims to make furniture itself, but 90% of all components used in production are in fact manufactured and later assembled in our factory in Steszew. The rest are imported from our partners in the European Union. Thorough design and supervision of the production of every piece of furniture is the biggest advantage of DCD products. Custommade products allow us to meet a variety of requirements and needs while ensuring the best value for money. The laboratory is a workplace of people for whom precision is particularly important. Nothing should distract them, and detailed work organization is an absolute necessity. We know that every detail here is of great importance.

We call our furniture inspiring for two reasons: they encourage creativity and comes from a genuine passion.

Over many years of operation, the DCD team has produced furniture for companies in various industries.





#### We are trusted by:











DCD Group has been on the Polish market since 1991 Here is our story: • 1991 - furniture production started

• 1992-2000. – supplying laboratory components for the largest recipients in Poland and Europe

• 2006 – our first and complete, own laboratory furniture line

• 2008 - launch of the second plant and a new production line of metal

• 2011 - expansion of the plant in

• 2014 - new business units for public and home furniture and

technological development of the

DCD Group creates four brands:

• DCD Lab - specialized laboratory

• DCD Public - furniture for public

• DCD Home – furniture for home • DCD Uslugi - furnishing services

In Stęszew

furniture.

Stęszew

company

furniture





























































Uniwersytet

Wrocławski















#### **TECHNOLOGY**

Throughout the years we developed DCD Lab products, creating our own laboratory furniture manufacturing technology. Every element created in our factory is a carefully thought out solution. One of them is the way we paint our furniture. Its uniqueness lies in combining previously painted components. Other manufacturers paint components only after they have been assembled. The advantage of our solution are every part of the furniture, accurately and evenly covered with chemical-resistant powder.

In case of metal cabinets, joining components only at the stage of installation has an additional advantage. In the event of physical damage, it is possible to replace only the defected piece instead of the entire body, which would be inevitable if using other suppliers' techniques.

Our technology is also important in the production of fronts. Place soundproofing material between two steel components. Because all steel parts are powder coated before joining, we are able to guarantee the highest resistance to moisture and corrosion both outside and inside the front. This is an additional protection of furniture against corrosion and furniture damage as a result of possible flooding or leakage of substances during use.

Another advantage of our technology is the quality production of fronts. Between the two steel components there is a sound-absorbing material. Since all steel parts are powder coated before joining, we can guarantee the highest resistance to moisture and corrosion, both externally and internally of our shelves and cabinets fronts. This is an additional furniture protection from corrosion and damage as a result of possible spillage or leakage of chemical substance during the use.



#### CONSTRUCTION TYPE



Mounted on A-frame.



Mounted on C-frame.



Mounted on support structures independent of the frame.



The furniture is made of sheet metal with high chemical resistance.



The furniture is made of laminated particle board

# **GENERAL FEATURES**



**Custom made** 











# RESISTANCE PROPERTIES



**Chemical** resistance



Resistance to mechanical damage





#### **CARBON SERIES**

The CARBON Series is a high quality, modern and functional metal and laminated furniture. Their design allows joining individual modules not only in perpendicular, but also to hexagonal tables.

It is an aesthetic solution that allows much more freedom in planning the layout of laboratory equipment and, most importantly, it ensures the functionality of the workplace.

CARBON Series furniture is custom made. Thoughtful design makes all modules compatible with each other and when installed with additional accessories, creates a perfect workplace.

In this catalogue we present standard dimensions and parameters of particular products - almost all of which can be customized according to individual preference.

"The CARBON collection delivers ergonomic excellence. This Furniture allows scientists to extract creativity and awaken their innate potential. The CARBON series is valued by the largest research centres in Poland and Europe."

Dariusz Sobiegraj Enginier

#### MODULAR CASEWORK

DCD Carbon series furniture is created based on three possible design solutions. Two of these are frame hanging cabinets and system of free-standing cabinets mounted on legs or pedestal (plinth). Choosing the right system depends on the function that the furniture performs and the requirements that a particular laboratory has to fulfil.

The frame is a basic load-bearing structure for tables, shelves, cabinets, countertops and eyewash stations. It is made from powder coated closed steel profiles of different cross-sections.

The steel frame allow you to mount suspended and free-standing cabinets or connect them to mobile modules, which make Carbon Series furniture a great working tool. In each of the solutions, the workstation can be adapted for standing or sitting work.









The mounting system based on type C frames is a modern and functional solution.

This design improves working comfort by allowing, among others, freedom of movement between lab desktops.

Cabinets located beneath the countertop can be easily hung without any additional actions like removing other components. The C-type frame can be reinforced with additional strut to increase the table's loadbearing capacity.

• Frame specification: 50x30x2mm, 60x30x2mm or 60x40x2mm











The A-type frame mounting system is a classic solution that guarantees high furniture stability. It is design for wall and island workstations and sink units.

A type frame system is characterized by high resistance to loads and is often filled with cabinets and drawers.

Like the Type C system, the A-frame facilitates the maintenance of cleanliness under the cabinets.

• Frame specification:

25x25x2mm or 30x30x2mm









The free-standing cabinet system is a cost effective solution that works well in educational institutes' labs, workstations intended for the analysis and interpretation of laboratory results or offices.

The cabinet can be placed on steel legs or on the pedestal made of steel or high quality particle board.

- Closed profile steel legs
- max. pedestal (plinth) or feet height: 15cm























#### METAL FURNITURE



Carbon ST furniture is made of optional sheet metal. The mounting system allows the cabinets to be used as hanging, mobile or free-standing self-supporting units. Components of cabinets' walls, fronts, and pedestals or plinths are individually painted and then joined with rivets, ensuring long service life and reduced costs. In case of any damage, this technique allows changing only the broken component, eliminating the need to replace the entire box. The thickness of the steel elements is customized according to individual customer requirements.









**Custom made** 



**Powder coating** 





#### **CARBON ST FURNITURE**

- Steel fronts filled with soundproofing material.
- Metal sheet thickness from 0.8mm
- In case of damage, the broken furniture part can be independently replaced with a new one

There are two lines available - ECONOMY and PREMIUM.

Custom combination of any elements included in both lines

#### **ECONOMY LINE**

- Fronts made with universal. classically shaped, smooth surface for easy cleaning
- Soundproof cabinet doors with a thickness of 16mm
- Metal roller slides with gravity closure function in the final closing stage
- Metal handles with 128mm spacing between the holes



- Elegant, modern design fronts of the cabinets with a bevelled upper edge
- Soundproof cabinet doors with a thickness of 20mm
- Metal, telescopic, full extension, ball bearing slides with silent soft-closing system
- Acid-proof steel handles with 200, 266, or 400mm spacing between the holes





5 colours RAL



#### Reagent racks and uprights:

- The frame system consists of rectangular cross-sectional upright posts with the ability to mount laboratory fittings and electrical systems
- Shelves can be mounted in three positions



10 colours\* RAL



#### Reagent racks and fittings:

- Removable panels located on the uprights allows convenient placement of any utility components
- Easy adjustable shelves
- Workplace lighting

\* 6021 olive colour, 9016 white, 7035 ash colour, 5010 blue, 1015 beige, graphite colour 7031, yellow 1021, red 2005, 2000 orange, green 6038

















# LAMINATED FURNITURE



CARBON LM furniture is made of both side laminated high quality 18mm thick particle board. The following furniture options are available: suspended, mobile, free-standing and wall mounted.

Laminated furniture is resistant to impact, temperature, UV and has high chemical resistance. Their advantage is their colour fastness and good electrostatic properties.













#### **CARBON LM CABINETS**

- Made of both side laminated high quality 18mm thick particle board
- Cabinets body is made of particle board with a minimum thickness of 18mm
- The entire back panel is made of a board with a minimum thickness of 12mm
- The front panel is made of a board of not less than 18mm thickness
- All visible edges protected with PVC or ABS
- The edge trim colour matches the front colour

The furniture is available in two lines - ECONOMY and PREMIUM. There is a possibility of any combination of elements included in their composition.

#### **ECONOMY LINE**

- Metal handles with 128 mm spacing between the holes
- Metal roller slides with gravity closure function in the final closing stage,

#### PREMIUM LINE

- Acid-proof steel handles with 400, 266 or 200 mm spacing between the holes
- Metal, telescopic, full extension, ball bearing slides with silent soft-closing system
- Thickness of the laminate layer on the front: 0.6 mm
- Possibility of making fronts with postforming technology









Up to 10 RAL colours \*\* (other colors on request)



Up to 10 RAL colours \*\* (other colors on request)



270°

\* U112 ash colour, U121 blue, W1000 white, U156 beige, U3112 lime colour \*\* U112 ash colour, U108 vanilla, U121 blue, W1000 white, U156 beige, U961 graphite , U114 yellow, U332 orange, U321 red, U3112 lime colour

#### **ALUMINIUM FURNITURE**

Possibility to manufacture cabinets with aluminium frame construction filled with laminated particle board.

Body colour















13

# ISLANDS, PENINSULAS AND WALL MOUNTED CASEWORK

CARBON furniture is a systemic solution flexible, mobile and functional. The modular and adjustable design allows all modules to be connected in any custom configuration. This is easy to spot when designing island or wall-mounted casework. Worktops accessible from various angles, usually complemented with cabinets under the countertop. The position of reagent racks, uprights with modular shelving system, as well as sink units can be fully customized. This is a great solution, allowing to maximize space usage of your laboratory.

Tables are connected perpendicularly to rows of workstations or arranged independently of one another. The same modules can be used to create corner workstations. Rounded corners of hexagonal modules and island tables make it easier to move around the lab.

This catalogue shows examples of furniture components, detailed description of which can be found on the following pages of the catalogue.





# Island or peninsula with sink station at the end


Different islands can be assigned for different tasks. The Island design ensures a smooth traffic flow improving overall process control and usable space.



### Island with sitting workstation

The design of this islands allows multiple users to work independently at the same time. There is a possibility to work in both sitting and standing positions.







system

#### **Specifications:**

- Carbon LM suspended cabinets with full overlay
- Sink station with two sinks and a specialized water fixtures
- PREMIUM reagent rack with two shelves
- Pegboard
- Eyewash unit

#### **Specifications:**

- Suspended full overlay cabinets with one drawer and cabinet doors
- Suspended cabinet with 4 drawers
- ECONOMY+ reagent rack with two shelves



















#### **Wall Mounted Casework**

Wall cabinets increase the amount of storage space in the workstation without limiting the work surface. Mobile cabinets allow you to freely control any space under the counter, for example, by increasing seating capacity.

Mobile cabinets enables complete control over entire space under the countertop, for example, by increasing the number of seated workstations.





#### **Specifications:**

- Mobile cabinets with drawers and casters made for hard floors
- Full overlay wall cabinets

#### **Wall Mounted Casework** With Sink Station

The Pegboard, mounted directly on the wall, allows to design a complete sink module.





#### **Specifications:**

- Wall mounted reagent rack with two shelves
- Suspended full overlay cabinets
- Sink module with undermount sink
- Pegboard



















#### **Wall Mounted Casework**

One of the most versatile configurations. Power sockets allow flexible placement of laboratory equipment.



The sink modules or cupsinks, their location and size may also be adapted to the requirements of the particular laboratory.







#### **Specifications:**

- Suspended full overlay cabinets
- Suspended cabinets with one drawer
- ECONOMY reagent rack with two shelves and permanently mounted power sockets



#### **Specifications:**

- Suspended cabinets with one drawer
- Undermount cupsinks
- ECONOMY reagent rack with two shelves and permanently mounted power sockets















#### **CABINETS**

Cabinets and full height cabinets are a storage space in the laboratory. When planning their layout, it is important to consider the amount of space needed for reagents, equipment, tools and supplies stored in the laboratory. The expected load of the furniture is also important. However, the most essential factor in choosing steel and laminated furniture should be laboratory conditions - especially humidity.

Cabinets on casters allow the workplace to be adapted to the needs of the current laboratory. It is possible to increase seating capacity or free up more space for light laboratory equipment.

In addition to choosing the material from which the furniture is made, many other features and details of furnishing must be taken into consideration.







**Custom made** 



Adjustable shelves
















#### **SUSPENDED**





#### External dimensions:

- Width: 400mm, 600mm, 900mm, 1200mm
- Height: 620 mm
- Overall depth: at least 500 mm
- 4 or 5 drawers

#### **WALL CABINETS**






#### External dimensions:

- External dimensions:
- Width: 400mm, 600mm, 900mm, 1200mm
- Height: 620 mm
- Overall depth: at least 300 mm
- Doors with or without the glass
- Tempered or safety glass, of a minimum thickness of 4 mm
- The mounting system allows horizontal and vertical adjustment of the cabinet

#### **MOBILE AND FREE-STANDING**



#### External dimensions:

- External dimensions:
- Width: 400mm, 600mm, 900mm, 1200mm
- Height: 620 mm
- Total depth minimum 500 mm
- Increased body load capacity
- Caster height: 100 mm
- Maximum caster load: 75 kg
- Casters for hard and soft surfaces
- 4 or 5 drawers



















#### FULL HEIGHT STORAGE CABINETS

Large free-standing storage cabinets will be useful for reagents, less used tools and documents.

Storage cabinets are available in open or closed type and with fully or partially glazed doors.

The material from which the cabinets will be made can be customized to the individual needs of a particular laboratory. We offer shelves made of steel, laminated particle board or tempered safety glass.

Cabinets are mounted on adjustable legs or on a pedestal (plinth) made of steel or laminated particle board.











**Custom made** 




Adjustable shelves






#### **CLOSED TYPE**



#### Dimensions:

- Width: 600mm, 800mm, 900mm, 1200mm
- Height: 1900 mm
- Overall depth: 500 mm
- For laminated cabinets with a width of over 800 mm, we use vertical partition.
- Possibility to install three point locking mechanism


#### **CABINET WITH HINGED GLAZED DOORS**



#### Dimensions:

- Width: 600mm, 800mm, 900mm, 1200mm
- Height: 1900 mm
- Overall depth: 500 mm
- For laminated cabinets with a width of over 800 mm, we use vertical partition.
- Possibility to install three point locking mechanism

#### **STORAGE RACKS**



#### Dimensions:

- Width: 600mm, 800mm, 900mm, 1200mm
- Height: 1900 mm
- Overall depth: 500 mm
- Additional shelf reinforcement
- Steel, laminated or glass shelves

















#### **SINK UNITS**

Sink units can be mounted on connected countertops or build as separate furniture. Their shape and material used to produce them depends directly on the type of specific laboratory work.

We offer sinks and cupsinks made of ceramic, epoxy resin, polypropylene or acid resistant stainless steel. The sinks are fitted with specialized fittings of various types from well-known manufacturers.


The method of mounting the sink depends primarily on the material the countertop is made.
















#### **UNDERMOUNT SINK**

#### **FLUSH MOUNTED SINKS**

#### **DROP-IN SINK**







- Steel
- Ceramic
- Polypropylene
- Epoxy resin
- Solid Surface (Corian / Staron etc.)

- Ceramic
- Polypropylene
- Epoxy resin
- Solid Surface (Corian / Staron etc.)

- Steel
- Ceramic
- Polypropylene
- Solid Surface (Corian / Staron etc.)

Resistance	Steel	Ceramic	Solid Surface	Polypropilene	Epoxy resin
Chemical	••0	•••	• • •	•••	• • •
Mechanical	••0	• • •	• • •	• • 0	• • 0

#### ADDITIONAL EQUIPMENT

- Pegboards
- Eyewashes
- Plumbing fittings
- Specialized taps (eg. sensor tap)
- Emergency showers















#### REAGENT RACKS AND WALL MOUNTED UPRIGHTS


Proper layout of work stations in the laboratory means taking into account the functional system of all utilities like electricity, gas and water. This is made possible with reagent racks or uprights mounted on the countertop, holding shelves and drawers and hidden utilities inside the removable panels.

Reagent racks and wall mounted uprights increase the work space and allow more people to work on island countertop at the same time.

The PREMIUM reagent racks are equipped with replaceable panels that allow future replacement of taps or electrical sockets. The PREMIUM series also includes wall mounted uprights that are independent of the worktables.










#### **ECONOMY**



#### **PREMIUM**







- Reagent rack height: 450 900 mm,
- The depth of the shelves depends on the type of reagent rack
- 1 or 2 shelves
- Rectangular base
- Possibility to mount suspended cabinets
- Possibility to install utilities in the uprights (permanently)

- Reagent rack height: 450 900 mm,
- The depth of the shelves depends on the type of reagent rack
- 1 or 2 shelves
- Hexagonal base
- Possibility to install utilities in the uprights replaceable panels
- Possibility to mount suspended cabinets
- Possibility to install additional lighting
- Maximum height of the wall mounted uprights from the ground: 1900 mm

- Reagent rack height: 450 900 mm,
- The depth of the shelves depends on the type of reagent rack
- 1 or 2 shelves
- Hexagonal base
- Replaceable panels
- Possibility to mount suspended cabinets
- Possibility to install additional lighting
- Possibility to install utilities in the uprights replaceable panels
- Maximum height of the wall mounted uprights from the ground: 1900 mm



(A) Hinge opening angle











#### **COUNTERTOPS**

Countertops are an integral part of laboratory tables. The choice of material from which they are made depends on the intended purpose, the type of work carried out and the substances used in the laboratory. This is one of the essential decisions on which depends all manufactured furniture functionality and price.

The durability and performance of the furniture is highly dependent on countertops' resistance to load, moisture, physical damage and chemicals.







# CERAMIC COUNTERTOP



- The most chemically resistant material
- Scratch resistant
- Corrosion resistance
- Highly recommended when working with concentrated chemical reagents
- Non-flammable material
- UV resistant











- high resistance to chemicals
- the only countertop resistant to hydrofluoric acid
- dimensional freedom of choice (possibility to implement non-standard solutions)
- non-combustible material
- countertop UV resistant



High



Low



Body colour

Front colour

Hinge opening angle

Adjustable shelves

Chemical resistance



Humidity resistance

Load resistance

#### SOLID SURFACE (CORIAN/ STARON) COUNTERTOP

# DURCON - GREENSTONE EPOXY RESIN COUNTERTOP

# QUARTZ CONGLOMERATE COUNTERTOP



- Dimensional freedom of choice (possibility to implement non-standard solutions)
- Large selection of colours
- Smooth, seamless connection of countertops
- Hygienic material especially recommended for microbiology
- The countertop is easy to shape and repair









- Monolithic, solid, high density structure throughout the cross section
- Does not delaminate and swell
- No electrical conductivity
- Non-absorbent and non-flammable
- High dimensional stability
- Thermal stability and chemical resistance



Average



Average





- Suitable for light work without concentrated chemical reagents
- Possibility of implementing custom arrangements
- Nonporous surface
- High resistance to static load



High



Average



High



















#### PHENOLIC RESIN **COUNTERTOP**



- Suitable for general and light laboratory work without concentrated chemical reagents
- Dimensional freedom of choice (possibility to implement non-standard solutions)
- The most resistant material for static load







#### **GRANITE COUNTERTOP**



- Suitable for light work without concentrated chemical reagents
- Average physical resistance
- Possibility of implementing custom arrangements



**Average** 





High

#### LAMINATED PARTICLE **BOARD COUNTERTOP**



- Suitable for analytical and didactic work
- Low price
- dimensional freedom of choice (possibility to implement nonstandard solutions)
- Wide range of colours







Front colour

(A) Hinge opening angle

Adjustable shelves

Chemical resistance

# ANTI-VIBRATION TABLES


The task of weighing tables is to isolate specialized equipment from vibrations generated by other elements of laboratory equipment. Anti-vibration stone slab mounted in tables suppress all vibrations that could affect the accuracy of measurements and readings.











The function of weighing tables in both ST and LM versions is identical. The difference lies in the material used to fill the structure. The ST version uses sheet steel panels, customized according to the type and colour of the casework in a particular laboratory. The LM version is finished with laminated particle board. The tables can be additionally equipped with a practical drawer.





• Height: 750 mm or 900

• Width: 900 mm

• Depth: 750 mm

#### **HEAVY DUTY TABLES**

Sturdy tables with additional frame reinforcement provide a safe base for laboratory equipment. The material from which they are made is selected according to the needs of a particular laboratory. They can also be used for vibration generating devices such as centrifuges and others.











#### **FUME HOODS**

Fume hoods are devices designed for working with chemical substances that pose a potential threat to safety and health. It is made of materials resistant to physical, chemical and thermal effects.

The modern ventilation system with the help of openings and airfoil, guarantees the elimination of harmful chemical substances and gases emitted during laboratory work.

Based on materials used for the construction of the current laboratory furniture, we offer two types of fume hoods: laminated and steel.











The choice of fume hoods liner material depends directly on the chemicals that will be used in the particular laboratory tests.

- Phenolic resin (HPL laminate) recommended for working with low concentration acids, organic solvents, dilute and cold mineral coffees (except hydrogen fluoride)
- Large format ceramic slabs solid, large scale countertops recommended for most laboratory works. Resistant to all organic solvents, high temperature, concentrated mineral acids (except hydrofluoric acid), bases and corrosion
- Polypropylene recommended for work with particularly aggressive reagents, e.g. hydrofluoric acid.
   Resistant to mould and bacteria and has low level of electrical conductivity.
- Acid-proof stainless steel

# Store -

#### STANDARD INSTALLATION

#### Countertops:

- Solid ceramics
- Epoxy resin

Base cabinet under the work area:

- Ventilated suspended cabinet
- Ventilated cabinet on pedestal (plinth)
- Mobile cabinet

#### Utility installations:

- 2 cold water handles
- Drainage system
- Electrical installation 2 sockets 230V

#### Work area lighting

#### Airflow monitor:

- Air flow alarm with air flow indicator and face velocity alarm that goes off when sash is above working height
- Exhaust duct with a diameter of 200 mm or smaller/ bigger on request



#### ADDITIONAL EQUIPMENT

- Installation of additional industrial gas supply components
- Installation of additional electrical sockets inside the handling chamber
- Tripods (trusses) mounted on the rear wall of the work area for hanging laboratory vessels

Auto Sash Controller that closes the sash when the operator is not present in front of the fume hood

Other types of fume hoods in our offer:

- Fume hood with glazed walls or a model for educational institutions that allows work in the hood to be seen from all sides.
- EX Fume hood



















#### **SAFETY CABINETS**

Every day, laboratory workers use many substances potentially hazardous to health. Proper storage of such materials is a must. Not only do cabinets minimize the threat, but at the same time, they improve the organization of work.

Safety cabinets for acids and alkalis, organic solvents, and other volatile materials that produce vapours are custom-made and can come in different sizes. For additional security, a three-point locking mechanism or padlock can be fitted.










Safety cabinets guarantee high chemical resistance to both liquids and vapours. They are available in both steel and laminated versions lined with polypropylene.

Inside there are fully extendable shelves or trays with a pull-out shelf lock to prevent accidental opening. An additional protection for the contents of the cabinets is a door mounted lock.


#### STEEL CABINET FOR **CHEMICALS**

- Ventilation openings in the rear wall
- Possibility to install an exhaust fan
- The inside may be lined with polypropylene
- can be made of acid-resistant steel with pouder coating



#### LAMINATED CABINET FOR CHEMICALS

- Ventilation openings in the rear wall
- The inside may be lined with polypropylene
- Possibility of mounting an exhaust fan



#### SAFETY CABINETS FOR CORROSIVE MATERIALS (acids and alkalis)

We also offer cabinets for acids and bases made of polyethylene, fireproof and MULTIRISK safety cabinets - allowing storage of several types of substances in one place.









# ADDITIONAL EQUIPMENT

In addition to the elements that make up the basic laboratory furniture, our offer also includes accessories and additional fittings. The following equipment enables customization to meet the requirements of a particular laboratory:

- Office furniture
- Storage racks
- Wall mounted or suspended Canopy Hoods
- Laboratory chairs and stools









#### **STORAGE RACKS**



#### **MOBILE CARTS**







The functionality of the racks is influenced by the material of which it is made. Racks can be made of steel, stainless steel or laminated particle board. Instead of the standard shelves, practical trays can be fitted. The choice of the mobile version allows for more flexible management of laboratory space.

Mounted above workstations where steam, hot air, exhaust fumes or chemical vapours are emitted during research. The hoods can be additionally equipped with lighting and an individual fan.

Stainless steel construction for durability and easy maintenance. Usually made with two or three trays or shelves, full turn-over casters including two with brakes. U shape push handles for easy maneuvering. Full customization possibility - from the metal it is made of to the caster type.



























#### **CERTIFICATES**

To ensure the safety and quality of the products we offer, we have performed a number of tests to verify that they meet applicable standards and are laboratory-friendly. We use a quality management system that is ISO 9001 certified. Our products meet the highest standards in the laboratory equipment industry.

Our certificates and attests:

The Fume hoods have a certificate of compliance with the EN 14175 Part II standard issued by the Product Certification Body and tests issued by an accredited testing laboratory for compliance with the EN 14175 Part II, III and VI standards

Laboratory furniture have a certificate of compliance with PN-EN 14727: 2006 standard for laboratory furniture for storage, requirements and test methods

Laboratory furniture is certified with PN-EN 13150: 2004. Work tables for laboratories. Safety requirements, dimensions and analysis methods.

Laboratory furniture and fume hoods have a hygienic certificate

Ceramic countertops has the following properties:

- Intended for contact with food products in accordance to PN-EN 1388-1: Determination of the release of lead and cadmium from ceramic ware
- Countertops meet the requirements of radiation hygiene in accordance with the content of natural radioactive isotopes K-40, radium Ra- 226 and thorium Th-228
- Tests in accordance with EN ISO 10545-13: 1999: Ceramic tiles - determination of chemical resistance
- Tests in accordance with EN ISO 10545-14: 1999:
   Ceramic tiles determination of stain resistance
- Tests for determination of minimum hardness of surface - 6 according to Mohs scale







#### DCD Lab Sp. z o.o.

Mosinska 9 62-060 Steszew, Poland biuro@dcd-lab.pl +370 612 12 950 www.dcd-lab.pl